

Notices 88 - 96
Nov 2004
Supplied Gratis



SOUTH AFRICAN NOTICE TO MARINERS

November 2004 EDITION

**PUBLISHED MONTHLY
BY THE
HYDROGRAPHIC OFFICE
CAPE TOWN**

CONTENTS

- I Explanatory Notes and Index
- II SAN Notices to Mariners. Updates to Standard Navigational Charts
- III SAN Charts and SAN HO Publications - New Charts / Editions
- IV Corrections to SAN HO Publications
- V Corrections to SA List of Lights and Radio Services
- VI Reprints of Radio Navigational Warnings

IMPORTANT

Mariners are requested to inform the Hydrographer, Private Bag X1, Tokai 7966, immediately of the discovery of new dangers, or changes or defects in aids to navigation and of shortcomings in South African charts or publications. Copies of form HO-16, which is a convenient form on which to send in a report, may be obtained gratis from any Official Chart Agent or the reproduction at the end of Section VI of the monthly edition of Notices to Mariners.

In addition to postal methods, the following additional communication facilities are available :

Notices to Mariners Web site :	Web : http://www.sanho.co.za
Urgent navigational information :	Telex : 95 527946 (ANS BACK: NAVY SA) Fax : +27 21 787 2228 Phone : +27 21 787 2445
Other navigational information :	Fax : +27 21 787 2233 Phone : +27 21 787 2444 E-mail : hydrosan@iafrica.com
General information :	Phone : +27 21 787 2408

Captain A. Kampfer
Hydrographer, SA Navy
NAVAREA VII Co-ordinator

INDEX OF CHARTS AND PUBLICATIONS AFFECTED

SAN Charts	Notices	Pages
56	88	1
57	89	1
80 (INT 2680)	88	1
81 (INT 7510)	89	1
119	88	1
122	89	1
130	90	1

SAN Publications	Notices	Pages
Annual Summary of South African Notices to Mariners - 2004 Edition	93	3
South African Sailing Directions Vol III - SAN HO-23 - 4th Edition 2003	94	3
Cataglogue and Indexes of SAN Charts and other Hydrographic Publications - SAN HO-3 2004 Edition	95	3, 4
South African List of Lights and Radio Signals - SAN HO-1 - 2005 New Edition	96	5

SAN Charts - New Charts / Editions	Notices	Pages
NIL		

SAN Charts - Permanently Withdrawn	Notices	Pages
MZ 1 - Maritime Boundaries	92	3

SANHO Publications - New / New Editions	Notices	Pages
International Regulations for Preventing Collisions at sea, 1972 - SAN HO-15 2005 Edition	91	3

Spheroid / GPS Positions

All positions quoted in these Notices are referred to **Clarke 1880 (Mod) Spheroid** unless otherwise stated.

On chart scales of **1: 100 000 and smaller**, positions from **GPS receivers** set to **WGS 84** may be plotted directly on these charts. Mariners are warned that **insertion of Clarke 1880 (or other) positions on Automatic Plotters which are set to WGS 84 Spheroid can result in inaccurate navigation practices.**

Temporary and Preliminary Notices

These are indicated by (T) or (P) after the notice number. These are printed on one side of the paper in order that they may be cut and filed and are placed at the end of Section II. To assist in filing, the year is indicated after the notice number. **Information from these notices is not included on charts before issue;** charts should be updated in pencil on receipt.

Permanent Notices

Permanent corrections in Section II are marked by a star adjacent to the notice number to indicate that the notice is based on original information. Periodic lists of permanent corrections pertaining to affected navigational charts and publications are published annually and copies may be obtained from the Hydrographic Office or through a Chart Agent.

Chart Corrections

Further details are contained in NP100 The Mariner's Handbook which should be consulted for the correct procedures of filing, inserting and noting all types of corrections on nautical charts and other hydrographic publications. The Handbook may be obtained from Admiralty Chart Agents in Cape Town and Durban. Consult SAN HO-6 for Symbols and Abbreviations used on SAN Charts and NP735 for an illustrated explanation of the IALA Maritime Buoyage System.

Provision of Notices to Mariners

These Notices are *gratis* and may be obtained on request from the Hydrographic Office or through the approved Chart Agents. Additional copies required of "block" chart corrections can also be obtained through the above procedure.

Radio Navigational Warnings

See Note at the start of Section IV.

GUIDANCE NOTES FOR VIEWING AND PRINTING NOTICES USING ADOBE ACROBAT

For optimum results when viewing and printing material from the PDF digital files please note the following:

The minimum specification is a 486 PC with Windows 3.1 and 4MB of RAM.

When printing data from the files, ensure the Fit to Page icon in the Adobe Acrobat print menu is switched off before printing. Otherwise large text pages will be compressed, or large size Blocks may not fit the chart.

If printing text or monochrome NM Blocks, the minimum specification is an Inkjet or good quality Laser Postscript printer with at least 6 MB of memory. (NB. If using a Postscript printer, ensure the Postscript printer driver is installed).

For printing Colour NM Blocks the minimum specification of printer is a good quality Ink Jet/Laser printer with 300 dpi resolution or greater.

If using certain types of Ink Jet printer ensure the setting is set to Dithered screening not Pattern screening.

Printed colour copies should be compared with the colour image on screen to ensure that all the colours have reproduced correctly. Printer property resolution and ink density may need to be increased or adjusted to obtain the best results.

Ensure the Colour Ink Cartridge is in accordance with the printer manufacturers specifications. Minimum paper specification for printing Colour NM Blocks is International paper size A4, thickness/weight 80 gsm paper. (The same paper as used for NM Blocks in the NM Weekly). NB. (Ensure the paper quality is in accordance with the Printer manufacturers specifications).

The Hydrographer does not accept any liability for the display and printing of these digital Notices to Mariners on the users equipment.

I

**TEMPORARY NOTICES AND PRELIMINARY NOTICES
In force 29 November 2004**

TEMPORARY NOTICES

2002 Series

78(T)	Namibia	Baker's Bay	Foul Area.
89(T)	Namibia	Bogenfels	Anchor Obstructions, Foul Area.

2003 Series

45(T)	RSA	Port Elizabeth	Construction of Ngqura harbour.
64(T)	RSA	Durban Oil Terminal SBM	Buoy laid.
70(T)	RSA	Houtbaai	North Mole Light Moved.
72(T)	RSA	Lambert's Bay	Scientific Buoy Mooring.
73(T)	RSA	Cape Barracouta	Wave Rider Buoy.

2004 Series

25(T)	RSA	Simon's Bay	Submarine Mooring Buoy temporarily removed.
49(T)	RSA	Table Bay	Murray's Bay Harbour. Lights temporarily removed.
83(T)	Namibia	Lüderitz	Foul Area.
84(T)	RSA	Houtbaai	North Mole dangerous.

PRELIMINARY NOTICES

2004 Series

41(P)	RSA	Table Bay	Murray's Bay Harbour. Works in progress (2004).
-------	-----	-----------	---

II

SA NAVY SAN CHARTS OF SOUTH AFRICA AND NAMIBIA THAT ARE REFERRED TO THE WGS 84 SPHEROID

76 (INT 2640)	79 (INT 2670)	87 (INT 7570)	90 (INT 2051)
1001 (INT 2611)	1012 (INT 2672)	1024 (INT 7531)	1025 (INT 7532)
1030 (INT 7561)	1032 (INT 7572)	1033 (INT 7571)	
113	114	125	126
132	133	134	1003
1015	1017	2004	SC3
SC5			

MISCELLANEOUS

1. Mariners are advised that the primary and most reliable means of communication with HYDROSAN for all messages is via Telex : 95 527946 (ANS BACK : NAVY SA) or alternatively via Facsimile number : +27 21 787 2888.

2. Current and archived South African Notices to Mariners is available in PDF format on the internet at Website : <http://www.sanho.co.za>


88* SOUTH AFRICA, West Coast - Submerged non-dangerous wreck

Source : Hydrographer

SAN 56 [Previous Update 75/03]

SAN 80 (INT 2680) [Previous Update 45/04]

SAN 119 [Previous Update 28/03]

1. Insert :  PA in position 34° 38'.0 S 018° 08'.8 E

2. This is the wreck of F/V GIRL DIANA that sank on 30 October 2004. The length of vessel is 19.8 meters and GRT is 91 tonnes.

(SAN 56, 80, 119)

89* SOUTH AFRICA, South Coast - Wreck

Source : Hydrographer

SAN 57 [Previous Update 33/04]

SAN 81 (INT 7510) [Previous Update 52/03]

SAN 122 [Previous Update/ 51/03]

1. Insert :  PA adjacent to wreck in approximate position 34° 47'.0 S 021° 35'.0 E

(SAN 57, 81, 122)

90* SOUTH AFRICA, East Coast - South of Lambasi Bay - Wreck

Source : Hydrographer

SAN 130 [Previous Update 36/00]

1. Insert :  in position 31° 23'.30 S 029° 54'.28 E

2. This is the wreck of the vessel BBC CHINA that ran aground between Port Shepstone and Port St Johns. The length of vessel is 122.23 meters and GRT is 5 548 tonnes.

(SAN 130)

IIA

LIST OF TEMPORARY AND PRELIMINARY NOTICES TO MARINERS ISSUED BY THE MOZAMBIQUE INSTITUTE OF HYDROGRAPHY AND NAVIGATION (INAHINA) IN FORCE

Nil prior to these Notices.

2003 Series

07MOZ(T)/03	Porto de Maputo	Buoys out of position.
-------------	-----------------	------------------------

2004 Series

MOZ 20/04(T)	Port of Maputo	Cias de Bombagem temporarily unlit.
MOZ 25/04(T)	Port of Quelimane	Buoy 2 temporarily out of position.
MOZ 31/04(T)	Port of Quelimane	Buoy 3 temporarily out of position.
MOZ 45/04(T)	Port of Maputo	Lighthouse temporarily unlit.

MOZ 45/04(T) MOZAMBIQUE, Port of Maputo - Lighthouse temporarily unlit

Source : INAHINA

MOZ 496 and BA 644, 646

1. Insert : Legend (*temporarily unlit*) next to lighthouse

Inhaca

25° 58'.5 S

032° 59'.3 E

III

NEW CHARTS AND SAN HO PUBLICATIONS - NEW CHARTS/EDITIONS

91 NEW SAN HO PUBLICATION

International Regulations for Preventing Collisions at Sea, 1972 - 2005 Edition - SAN HO-15. The new edition is now available through approved chart agents, as listed in SAN HO-3 Chart Catalogue.

SAN CHARTS AND PUBLICATIONS PERMANENTLY WITHDRAWN

92 SAN CHART PERMANENTLY WITHDRAWN

Chart **SAN MZ1 Maritime Boundaries** is permanently withdrawn.

IV

CORRECTION TO SAN HO PUBLICATIONS

93 ANNUAL SUMMARY FOR SOUTH AFRICAN NOTICES TO MARINERS - 2004 EDITION

Source : Hydrographer

1. Page 8 SOURCES FOR NAVIGATION WARNINGS

Amend : Under para 12 the following to read :

Tel : +27 21 787 2445 / 787 2444
Fax : +27 21 2228
Telex : 95 527946 (ANS BACK : NAVY SA)

94 SOUTH AFRICAN SAILING DIRECTIONS VOL III - SAN HO-23 - 4TH EDITION 2003

Source : Hydrographer

1. Page 5-17 CAPE HERMES TO NORTH SAND BLUFF

Insert : New text after last sentence under para 30 :

The BBC CHINA ran aground on 17 October 2004. The stranded wreck is in position 31° 23'.30 S 029° 54'.28 E between Lambasi Bay and Gross Point. The length of the vessel is 122.23 meters.

95 CATALOGUE AND INDEXES OF SAN CHARTS AND OTHER HYDROGRAPHIC PUBLICATIONS - SAN HO-3 - 2004 EDITION

Source : Hydrographer

1. PRICE LIST OF CHARTS, DIAGRAMS AND PUBLICATIONS

Delete : SAN MZ1R30.00 under the heading FISHING PLOTTING SHEETS

2. Page 2 INDEX OF DIAGRAMS AND PUBLICATIONS

Delete : SAN MZ18, 9

3. Page 8 GENERAL CHARTS AND CHARTS OF ISLANDS IN THE SOUTHERN OCEAN

Delete : SAN MZ1

IV cont/...

4. Page 9 **MARITIME ZONES AND BOUNDARIES**

Delete : MARITIME ZONES AND BOUNDARIES, including all information under this heading.

5. Page 33 **SOUTH AFRICAN HYDROGRAPHIC OFFICE - SAN CHART FOLIO LIST No 2**

Delete : SAN MZ 1 Maritime Zones and Boundaries

V

96 **CORRECTION TO SA LIST OF LIGHTS AND RADIO SIGNALS - SAN HO-1**
2005 NEW EDITION

Source : Hydrographer

1. Page 33 **TABLE OF BROADCASTS OF NAVAREA VII- AND COASTAL NAVIGATIONAL**
WARNINGS VIA COASTAL RADIO STATIONS

Amend : Under Notes/Area Co-ordinator (*Col 6*) in para 7

Tel : +27 21 7872445
Fax : +27 21 7872228
Telex : 95 527946 (ANS BACK : NAVY SA)

**NAVAREA VII and Coastal Navigational Warnings Bulletin
in force as at 29 November 2004**

See NM 3/2004. Broadcast Warnings are available at Port Offices and remain valid until cancelled or until superseded by this and/or other broadcast bulletins.

NAVAREA VII MESSAGES

Nil Prior to these Messages

2004 Series

131	South Atlantic North Eastern Sector	Riglist.
134	Africa E Coast Mozambique	Buoy P renamed Buoy A.
139	Africa E Coast Mozambique Channel	Lighthouse Inhaca unlit.

COASTAL NAVIGATIONAL WARNINGS

Nil Prior to these Messages

2004 Series

481	Namibia		MV Sakawe Miner left anchor spread.
482	Namibia	Hottentot Point	MV Kovambo left anchor spread.
485	RSA	Tugela River	Lighthouse operating on reduced power, character changed.
486	Namibia	Lüderitz	Swamped anchors.
493	RSA	Saldanha Bay	North Head light removed.
494	RSA	Ystervarkpunt	Lighthouse out of order. Standby light operational.
501	RSA	Port St Johns	Containers lost overboard.
506	Namibia		White and red cylinder buoy.
507	Namibia	Bogenfels	Swamped mining tools abandoned.
508	RSA	Umhlanga Rocks	Standby light operational light.
510	RSA	Seaward Table Bay	Exposed cable hazardous to trawling vessels.
512	Namibia	Walvis Bay	Vessels anchored in approaches.
513	RSA	False Ba	Whittle rock buoy temporarily removed.
521	RSA	Gordon's Bay	Charted depth unreliable due to silting.
522	RSA	Cape Hermes	Cape Hermes lighthouse not reliable landmark.
528	RSA	East Coast	RV Africana conducting fisheries survey.
535	RSA	East Coast	Missile firing.
537	RSA	Houtbaai	Environmental buoy deployed.
539	RSA	Elandsbaai	Scientific buoy moorings laid.
540	RSA	Saldanha	Air to air firing.
546	RSA	Richards Bay	Pipe laying.
547	RSA	Agulhas Bank	EM control buoy light, racon and foghorn inoperative.
548	RSA	Great Fish Pt	Lighthouse not rotating.
549	RSA	False Bay	Gunnery exercise and pyrotechnics firing.
550	Namibia	Baker's Bay	MV Namakwa at anchor.
553	Namibia	Elizabeth Bay	MV Ivan Princep left anchor.
554	RSA	S of Richard's Bay	Tugela lighthouse main light out

VI ANNEX A

USA Government Special Warning in force 24 August 2003

SPECIAL WARNING NUMBER 120 WORLDWIDE

1. Due to recent events in the Middle East and the American Homeland, U.S. Forces worldwide are operating at a heightened state of readiness and taking additional defensive precautions against terrorists and other potential threats. Consequently, all aircraft, surface vessels, and sub-surface vessels approaching U.S. Forces are requested to maintain radio contact with U.S. Forces on bridge-to-bridge channel 16, international air distress (121.5 Mhz VHF) or MILAIR distress (243.0 Mhz UHF).
2. U.S. Forces will exercise appropriate measures in self-defence if warranted by the circumstances. Aircraft, surface vessels, and sub-surface vessels approaching U.S. Forces will, by making prior contacts as described above, help make their intentions clear and avoid unnecessary initiation of such defensive measures.
3. U.S. Forces, especially when operating in confined waters, shall remain mindful of navigational considerations of aircraft, surface vessels, and sub-surface vessels in their immediate vicinity.
4. Nothing in the Special Warning is intended to impede or otherwise interfere with the freedom of navigation or overflight of any vessel or aircraft, or to limit or expand the inherent self-defence rights of U.S. Forces. This Special Warning is published solely to advise of the heightened state of readiness of U.S. Forces and to request that radio contact be maintained as described above. (Issued 16 Nov 2001).

VI

USA Government Special Warning in force 24 August 2003

SPECIAL WARNING NUMBER 121 PERSIAN GULF

1. Coalition Naval Forces may conduct military operations in the Eastern Mediterranean Sea, Red Sea, Gulf of Aden, Arabian Sea, Gulf of Oman and Arabian Gulf. The timely and accurate identification of all vessels and aircraft in these areas are critical to avoid the inadvertent use of force.
2. All vessels are advised that coalition Naval Forces are prepared to exercise appropriate measures in self-defense to ensure their safety in the event they are approached by vessels or aircraft. Coalition Forces are prepared to respond decisively to any hostile acts or indications of hostile intent. All maritime vessels or activities that are determined to be threats to Coalition Naval Forces will be subject to defensive measures, including boarding, seizure, disabling or destruction, without regard to registry or location. Consequently, surface vessels, sub-surface vessels and all aircraft approaching Coalition Naval Forces are advised to maintain radio contact on Bridge-to-Bridge channel 16, International Air Distress (121.5 MHZ VHF) or Military Air Distress (243.0 MHZ UHF).
3. Vessels operating in the Middle East, Eastern Mediterranean Sea, Red Sea, Gulf of Oman, Arabian Sea and Arabian Gulf are subject to query, being stopped, boarded and searched by US/Coalition warships operating in support of operations against Iraq. Vessels found to be carrying contraband bound for Iraq or carrying and/or laying Naval mines are subject to detention, seizure and destruction. This notice is effective immediately and will remain in effect until further notice.

HO-16 (July 2002)

HYDROGRAPHIC NOTE

(for instructions, see overleaf)

Date

Ref. No

Name of ship or sender :

Address of sender :

.....

.....

Tel/Fax/Telex No. e-mail address of sender (if appropriate) :

General locality Subject :

Position : Lat :

Long :

.....

SAN Chart(s) affected :

Edition dated :

.....

Position fixing system used :

Datum set :

.....

Latest Monthly Edition of Notice to Mariners held :

Publications affected : (Edition No date of latest supplement, page and Light List No. etc.)

Details:

A replacement copy of Chart(s) No(s) is required, but see 4 overleaf.

Signature of observer/reporter :

HYDROGRAPHIC NOTE

Forwarding information for South African Charts and Hydrographic Publications

INSTRUCTIONS

1. Mariners are requested to notify the Hydrographer of the South African Navy, Private Bag X1, Tokai, 7966, or by Facimile 021 7872228 or E-mail *hydrosan@iafrica.com* when new or suspected dangers to navigation are discovered, changes observed in aids to navigation, or corrections to publications seen to be necessary. The *Mariner's Handbook (NP 100) Chapter 8* gives general instructions. The provisions of international and national laws should be complied with when forwarding such reports.

2. This form and its instructions have been designed to help both the sender and the recipient. It should be used, or followed closely, whenever appropriate. Copies of this Form may be obtained gratis from the SAN Hydrographic Office at the above address or principal Chart Agents (see *Annual Notice to Mariners No.1*).

3. When a **position** is defined by sextant angles or bearings (true or magnetic being specified) more than two should be used in order to provide a check. Distances observed by radar and the readings of Loran, Decca, etc., should be quoted. Latitude and longitude should only be used specifically to position the details when they have been fixed by astronomical observations or GPS and a full description of the method, equipment and datum (where applicable) used should be given.

4. A cutting from the largest scale chart is the best medium for forwarding details, the alterations and additions being shown thereon in red. When requested, a new copy will be sent in replacement of a chart that has been used to forward information, or when extensive observations have involved defacement of the observer's chart. If it is preferred to show the amendments on a tracing of the largest scale chart (rather than on the chart itself) these should be in red as above, but adequate details from the chart must be traced in black ink to enable the amendments to be fitted correctly.

5. When **soundings** are obtained *The Mariner's Handbook (NP 100)* should be consulted. The echo sounding trace should be marked with times, depths, etc., and forwarded with the report. It is important to state whether the echo sounder is set to register depths below the surface or below the keel; in the latter case the vessel's draught should be given. Time and date should be given in order that corrections for the height of the tide may be made where necessary. The make, name and type of set should also be given.

6. Modern **echo sounders** frequently record signals from echoes received back after one or more rotations of the stylus have been completed. Thus with a set whose maximum range is 500m, an echo recorded at 50m may be from depths of 50m, 550m or even 1050m. Soundings recorded beyond the set's nominal range can usually be recognised by the following:

- (a) the trace being weaker than normal for the depth recorded,
- (b) the trace passing through the transmission line,
- (c) the feathery nature of the trace.

As a check that apparently shoal soundings are not due to echoes received beyond the set's nominal range, soundings should be continued until reasonable agreement with charted soundings is reached. However, soundings received after one or more rotations of the stylus can still be useful and should be submitted if they show significant differences from charted depths.

7. Reports which cannot be confirmed or are lacking in certain details should not be withheld. Shortcomings should be stressed and any firm expectation of being able to check the information on a succeeding voyage should be mentioned.

8. Reports of **shoal soundings**, uncharted dangers and navigational aids out of order should, at the mariner's discretion, also be made by radio to the nearest coast radio station. The draught of modern tankers is such that any uncharted depth under 30 metres or 15 fathoms may be of sufficient importance to justify a radio message.

9. **Port information** should be forwarded on Form HO-16a together with Form HO-16. Form HO-16a lists the information required for South African Sailing Directions and should be used as an *aide memoire*. Where there is insufficient space on the form an additional sheet should be used.

Note : An acknowledgement or receipt will be sent and the information then used to the best advantage which may mean immediate action or inclusion in a revision in due course. When a Notice to Mariners is issued, the sender's ship or name is quoted as authority unless (as sometimes happens) the information is also received from other authorities. An explanation of the use made of contributions from all parts of the world would be too great a task and a further communication should only be expected when the information is of outstanding value or has unusual features.

HO-16a (March 2004)

**HYDROGRAPHIC NOTE FOR PORT
INFORMATION**

(To accompany Form HO-16)

Name of ship or sender :

Address of sender :

Ref. No.

.....

Date :

.....

1. NAME OF PORT	
2. GENERAL REMARKS Principal activities and trade. Latest population figures and date. Number of ships or tonnage handled per year. Maximum size of vessel handled. Copy of Port Handbook if available.	
3. ANCHORAGES Designation, depths, holding ground, shelter afforded.	
4. PILOTAGE Authority for requests. Embarkation position. Regulations.	
5. DIRECTIONS Entry and berthing information. Tidal Streams. Navigational aids.	
6. TUGS Number available and max. hp.	
7. WHARVES Names, numbers or positions. Lengths. Depths alongside. Heights above Chart Datum. Facilities available.	
8. CARGO HOLDING Containers, lighters, Ro-Ro etc.	
9. CRANES Brief details and max. capacity.	

<p>10. REPAIRS</p> <p>Hull, machinery and underwater. Ship and boat yards. Docking or slipping facilities. Give size of vessels handled or dimensions. Hards or ramps. Divers.</p>	
<p>11. RESCUE AND DISTRESS</p> <p>Salvage, lifeboat, NSRI, etc.</p>	
<p>12. SUPPLIES</p> <p>Fuel with type and quantities available. Fresh water with rate of supply. Provisions.</p>	
<p>13. SERVICES</p> <p>Medical. De-ratting. Consuls. Ship chandlery, compass adjustment, tank cleaning, hull painting.</p>	
<p>14. COMMUNICATIONS</p> <p>Road, rail and air services available. Nearest airport or airfield. Port radio and information service with frequencies and hours of operating.</p>	
<p>15. PORT AUTHORITY</p> <p>Designation, address and telephone number.</p>	
<p>16. SMALL CRAFT FACILITIES</p> <p>Information and facilities for small craft (eg yachts) visiting the port. Yacht Clubs, berths, etc.</p>	
<p>17. VIEWS</p> <p>Photographs (where permitted) of the approaches, leading marks, the entrance to the harbour etc. Picture postcards may also be useful.</p>	

Signature of observer/reporter