



Notice 68 - 75
July 2010
Supplied Gratis

SOUTH AFRICAN NOTICE TO MARINERS

July 2010 EDITION

**PUBLISHED MONTHLY
BY THE
HYDROGRAPHIC OFFICE
CAPE TOWN**

CONTENTS

- I Explanatory Notes and Index
- II SAN Notices to Mariners. Updates to Standard Navigational Charts
- III SAN Charts and SAN HO Publications - New Charts / Editions
- IV Corrections to SAN HO Publications
- V Corrections to SA List of Lights and Radio Services
- VI Reprints of Radio Navigational Warnings

IMPORTANT

Mariners are requested to inform the Hydrographer, Private Bag X1, Tokai 7966, immediately of the discovery of new dangers, or changes or defects in aids to navigation and of shortcomings in South African charts or publications. Copies of form HO-16, which is a convenient form on which to send in a report, may be obtained gratis from any Official Chart Agent or the reproduction at the end of Section VI of the monthly edition of Notices to Mariners.

In addition to postal methods, the following additional communication facilities are available :

Notices to Mariners Web site :	Web : http://www.sanho.co.za
Urgent navigational information : (24 Hour Service)	Telex : 95 527946 (ANS BACK: NAVY SA) Fax : +27 21 787 2228
Other navigational information : (0730 - 1600 Mon - Fri)	Fax : +27 21 787 2233 Phone : +27 21 787 2445/2444 E-mail : hydrosan@jafrika.com
General information : (0730 - 1600 Mon - Fri)	Phone : +27 21 787 2408

Captain A. Kampfer
Hydrographer, SA Navy
NAVAREA VII Co-ordinator

INDEX OF CHARTS AND PUBLICATIONS AFFECTED

SAN Charts	Notices	Pages
1	73	4
3	73	4
56	72	4
57	72	4
79 (INT 2670)	68	2
80 (INT 2680)	70	3
84 (INT 7540)	69	2
87 (INT 7570)	69	2
118	70	3
119	70	3
127	69	2
133	69	2
134	69	2
1013 (INT 2681)	71	3
1016	69	2
1017	69	2
1025 (INT 7532)	69	3
SC 9	69	3

International Charts	Notices	Pages
2670	68	2
2680	70	3
2681	71	3
7540	69	2
7570	69	2
7532	69	3

SAN Publications	Notices	Pages
Annual Summary of SA Notices to Mariners - 2010 Edition	74	8
SA List of Lights and Radio Signals (HO-1) 2008 Edition	75	8

SAN Charts - New Charts / Editions	Notices	Pages
Nil		

I cont/...

SAN Publications - New Publications / Editions	Notices	Pages
Nil		

SANHO Charts and Publications - Permanently Withdrawn	Notices	Pages
2052		1

Spheroid / GPS Positions

All positions quoted in these Notices are referred to the **Datum** indicated next to the chart number. On chart scales of **1: 100 000 and smaller**, positions from **GPS receivers** set to **WGS 84** may be plotted directly on these charts. Mariners are warned that **insertion of Clarke 1880 (or other) positions on Automatic Plotters which are set to WGS 84 Spheroid can result in inaccurate navigation practices.**

Temporary and Preliminary Notices

These are indicated by (T) or (P) after the notice number. These are printed on one side of the paper in order that they may be cut and placed at the end of Section II. To assist in filing, the year is indicated after the notice number. **Information from these notices is not included on charts before issue;** charts should be updated in pencil on receipt.

Permanent Notices

Permanent corrections in Section II are marked by a star adjacent to the notice number to indicate that the notice is based on original information. Periodic lists of permanent corrections pertaining to affected navigational charts and publications are published annually and copies may be obtained from the Hydrographic Office or through a Chart Agent.

Chart Corrections

Further details are contained in NP100 The Mariner's Handbook which should be consulted for the correct procedures of filing, inserting and noting all types of corrections on nautical charts and other hydrographic publications. The Handbook may be obtained from Admiralty Chart Agents in Cape Town and Durban. Consult SAN HO-6 for Symbols and Abbreviations used on SAN Charts and NP735 for an illustrated explanation of the IALA Maritime Buoyage System.

Provision of Notices to Mariners

These Notices are *gratis* and may be obtained on request from the Hydrographic Office or through the approved Chart Agents. Additional copies required of "block" chart corrections can also be obtained through the above procedure.

Radio Navigational Warnings

See Note at the start of Section VI.

GUIDANCE NOTES FOR VIEWING AND PRINTING NOTICES USING ADOBE ACROBAT

For optimum results when viewing and printing material from the PDF digital files please note the following:

The minimum specification is a 486 PC with Windows 3.1 and 4MB of RAM.

When printing data from the files, ensure the Fit to Page icon in the Adobe Acrobat print menu is switched off before printing. Otherwise large text pages will be compressed, or large size Blocks may not fit the chart.

If printing text or monochrome NM Blocks, the minimum specification is an Inkjet or good quality Laser Postscript printer with at least 6 MB of memory. (NB. If using a Postscript printer, ensure the Postscript printer driver is installed).

For printing Colour NM Blocks the minimum specification of printer is a good quality Ink Jet/Laser printer with 300 dpi resolution or greater.

If using certain types of Ink Jet printer ensure the setting is set to Dithered screening not Pattern screening.

Printed colour copies should be compared with the colour image on screen to ensure that all the colours have reproduced correctly. Printer property resolution and ink density may need to be increased or adjusted to obtain the best results.

Ensure the Colour Ink Cartridge is in accordance with the printer manufacturers specifications. Minimum paper specification for printing Colour NM Blocks is International paper size A4, thickness/weight 80 gsm paper. (The same paper as used for NM Blocks in the NM Monthly). NB. (Ensure the paper quality is in accordance with the Printer manufacturers specifications).

The Hydrographer does not accept any liability for the display and printing of these digital Notices to Mariners on the users equipment.

I cont/...

**TEMPORARY NOTICES AND PRELIMINARY NOTICES
In force 28 July 2010**

CANCELLED NOTICES

Nil.

TEMPORARY NOTICES

2003 Series

64(T) RSA Durban Oil Terminal SBM Buoy laid.

2006 Series

40(T) RSA Port of Mossel Bay Temporary buoys deployed.
69(T) RSA Gordon's Bay Silting in harbour.

2007 Series

27(T) Namibia Boat Bay Floating rope sighted.
31(T) RSA St Helena Bay R/V Africana deployed sub-sea buoy.
43(T) RSA Gordon's Bay Orange and blue mooring buoys deployed.

2008 Series

87(T)/08 RSA Port of Cape Town Buoys relocated.
102(T)/08 Namibia Swakopmund Unlit buoys deployed.
105(T)/08 RSA Simon's Bay Trials.

2009 Series

27(T)/09 RSA Ben Schoeman Dock Light temporarily replaced.
28(T)/09 RSA Simon's Bay Buoys laid.
62(T)/09 RSA False Bay Buoy off station.
63(T)/09 RSA False Bay Extended foul area.
65(T)/09 RSA SE of Mossel Bay Current meter deployed.
97(T)/09 RSA East Coast Light out of commission.
98(T)/09 RSA East Coast Buoy deployed.
100(T)/09 RSA Port of Durban Racon out of commission.
103(T)/09 Namibia Walvis Bay Moorings deployed.

PRELIMINARY NOTICES

2010 Series

38(P)/10 RSA Robben Island New leading lights erected.

I cont/...

SAN CHARTS PERMANENTLY WITHDRAWN

*Chart to be
Withdrawn*

Main Title

1. 2052 Langebaan Lagoon Yachting Chart
2. It was decided that Chart SAN SC 2 (Saldanha Bay and Langebaan Lagoon) will suffice for navigation in the area by small craft.

II

ERRATUM

Nil.

SA NAVY SAN CHARTS OF SOUTH AFRICA AND NAMIBIA THAT ARE REFERRED TO THE WGS 84 SPHEROID

76 (INT 2640)	79 (INT 2670)	84 (INT 7540)	87 (INT 7570)			
90 (INT 2051)	1001 (INT 2611)	1002 (INT 2631)	1012 (INT 2672)			
1013 (INT 2681)	1014 (INT 2682)	1020 (INT 7521)	1024 (INT 7531)			
1025 (INT 7532)	1026 (INT 7533)	1027 (INT 7541)	1030 (INT 7561)			
1031 (INT 7562)	1032 (INT 7572)	1033 (INT 7571)	2004 (INT 9056)			
113	114	115	122	125	126	127
132	133	134	1003	1015	1016	1017
2051	SC3	SC5	SC9			

MISCELLANEOUS

1. Mariners are advised that the primary and most reliable means of communication with HYDROSAN for all messages is via Telex : 95 527946 (ANS BACK : NAVY SA) or alternatively via Facsimile number : +27 21 787 2228.
2. Current and archived South African Notices to Mariners are available in PDF format on the internet at Website: <http://www.sanho.co.za>

GENERAL: SA NAVY HYDROGRAPHIC OFFICE CONTACT DETAILS

1. Mariners and interested parties are advised to take note of the SA Navy Hydrographic Office contact details. This will assist in future to prevent late action being taken on important navigational information due to this office being contacted over weekends, public holidays and after hours.
2. The relevant contact details can be found on the front page of the monthly Notices to Mariners, as well as on our website www.sanho.co.za.

II cont/...

MERCHANT VESSEL VOLUNTARY REPORTING SCHEME

1. Mariners and interested parties are advised to take note of the **NAVAREA IX Message** regarding the Merchant Vessel Voluntary Reporting Scheme. More detail is provided on page 11 and 12 of this Notice to Mariners.

CAUTION REGARDING USE OF ECDIS IN STANDARD DISPLAY MODE

1. Mariners and interested parties are advised to take note of the **NAVAREA I and VII Message** regarding the use of ECDIS in standard display mode. More detail is provided on page 12 of this Notice to Mariners.

68* SOUTH AFRICA – South West Coast, West of Dassen Island - Depth

Source: Hydrographer

SAN 79 (INT 2670) – [Previous Update - 37/10] WGS 84 DATUM

- | | | | |
|--|-------------|-------------|--------------|
| 1. Insert: depth 530 | in position | 33° 23'.6 S | 017° 14'.4 E |
| 2. Delete: depth 724 approximately 2 miles SW of | | 1. above | |

(SAN 79)

69* SOUTH AFRICA – South West, South and East Coasts - Marine Reserves Note

Source: Hydrographer

SAN 84 (INT 7540) – [Previous Update - 115/08] WGS 84 DATUM

- | | | | |
|--|-------------------------|------------|--------------|
| 1. Insert: Accompanying block correction | in approximate position | 32°33'.0 S | 027° 13'.0 E |
|--|-------------------------|------------|--------------|

SAN 87 (INT 7570) – [Previous Update - 66/10] WGS 84 DATUM

- | | | | |
|--|-------------------------|-------------|--------------|
| 2. Insert: Accompanying block correction | in approximate position | 27° 12'.0 S | 031° 51'.0 E |
|--|-------------------------|-------------|--------------|

SAN 127 – [Previous Update - 78/09] WGS 84 DATUM

- | | | | |
|--|-------------------------|-------------|--------------|
| 3. Insert: Accompanying block correction | in approximate position | 33° 12'.0 S | 027° 08'.0 E |
|--|-------------------------|-------------|--------------|

SAN 133 – [Previous Update - 66/10] WGS 84 DATUM

- | | | | |
|--|-------------------------|-------------|--------------|
| 4. Insert: Accompanying block correction | in approximate position | 28° 06'.0 S | 032° 03'.0 E |
|--|-------------------------|-------------|--------------|

SAN 134 – [Previous Update - 110/08] WGS 84 DATUM

- | | | | |
|--|-------------------------|-------------|--------------|
| 5. Insert: Accompanying block correction | in approximate position | 26° 56'.0 S | 032° 37'.0 E |
|--|-------------------------|-------------|--------------|

SAN 1016 – [Previous Update - 84/09] WGS 84 DATUM

- | | | | |
|--|-------------------------|-------------|--------------|
| 6. Insert: Accompanying block correction | in approximate position | 34° 14'.5 S | 018° 55'.0 E |
|--|-------------------------|-------------|--------------|

SAN 1017 – [Previous Update - 45/10] WGS 84 DATUM

- | | | | |
|--|-------------------------|-------------|--------------|
| 7. Insert: Accompanying block correction | in approximate position | 34° 12'.3 S | 018° 26'.6 E |
|--|-------------------------|-------------|--------------|

II cont/...

SAN 1025 (INT 7532) – [Previous Update - 63/10] WGS 84 DATUM

8. Insert: Accompanying block correction in approximate position 33° 53'.5 S 026° 16'.0 E

SAN SC 9 – [Previous Update - N/A] WGS 84 DATUM

9. Insert: Accompanying block correction in approximate position 33° 36'.0 S 025° 13'.0 E

(SAN 84, 87, 127, 133, 134, 1016, 1017, 1025, SC 9)

70* SOUTH AFRICA – South West Coast, Approaches to Saldanha Bay and Table Bay - Depths

Source: Hydrographer

SAN 80 (INT 2680) – [Previous Update - 50/10] CLARKE 1880 DATUM

1. Insert: depth 94 enclosed with 100m contour in position 33° 48'.5 S 018° 06'.0 E

2. Delete: depth 110 close NE of 1. above

SAN 118 – [Previous Update - 107/09] CLARKE 1880 DATUM

3. Insert: depth 35 move 50m contour SW to enclose depth in position 33° 09'.2 S 017° 56'.2 E

4. Delete: depth 39 close North of 3. above

5. Insert: depth 97 enclosed with 100m contour in position 33° 38'.3 S 018° 05'.0 E

6. Delete: depth 113 close SE of 5. above

7. Insert: depth 94 enclosed with 100m contour in position 33° 48'.5 S 018° 06'.0 E

8. Delete: depth 110 close NE of 7. above

SAN 119 – [Previous Update - 107/09] CLARKE 1880 DATUM

9. Insert: depth 94 enclosed with 100m contour in position 33° 48'.5 S 018° 06'.0 E

10. Delete: depth 110 close NE of 9. above

(SAN 80, 118, 119)

71* SOUTH AFRICA – South West Coast, Approach Channel Table Bay - Maintained depth

Source: Hydrographer

SAN 1013 (INT 2681) – [Previous Update - 61/10] WGS 84 DATUM

1. Amend: Maintained depth of 15,9m in the approach channel to read 15,8m

in approximate position 33° 53'.6 S 018° 26'.1 E

(SAN 1013)

II cont/...

72* SOUTH AFRICA – South Coast, South-east of Struispunt - Depth

Source: Hydrographer

SAN 56 – [Previous Update - 62/10] CLARKE 1880 DATUM

1. Insert: depth 49 enclosed with a 50m contour in position 34° 46'.0 S 020° 22'.8 E

SAN 57 – [Previous Update - 62/10] CLARKE 1880 DATUM

2. Insert: depth 49 enclosed with a 50m contour in position 34° 46'.0 S 020° 22'.8 E

(SAN 56, 57)

73* INDIAN OCEAN – Crozet and Marion/Prince Edward Islands - Depth

Source: SHOM

SAN 1 – [Previous Update - 66/10] CLARKE 1880 DATUM

1. Insert: depth 743 enclosed with a 1000m, 2000m and 3000m contour in position 39° 25'.3 S 041° 24'.2 E

SAN 3 – [Previous Update - 66/10] CLARKE 1880 DATUM

2. Insert: depth 743 enclosed with a 1000m, 2000m and 3000m contour in position 39° 25'.3 S 041° 24'.2 E

(SAN 1, 3)

IIA

LIST OF TEMPORARY AND PRELIMINARY NOTICES TO MARINERS ISSUED BY THE ANGOLAN MINISTRY OF TRANSPORT IN FORCE

Important Notice : Mariners are advised that positions for Angolan Notices are referred to the WGS 84 Spheroid. Caution is therefore advised when plotting positions on large scale British Admiralty charts that are not based on the same spheroid.

Nil prior to these Notices.

2010 Series

Nil.

IIB

LIST OF TEMPORARY AND PRELIMINARY NOTICES TO MARINERS ISSUED BY THE MOZAMBIQUE INSTITUTE OF HYDROGRAPHY AND NAVIGATION (INAHINA) IN FORCE

Important Notice : Mariners are advised that positions for Mozambique Notices are referred to the WGS 84 Spheroid. Caution is therefore advised when plotting positions on large scale British Admiralty charts that are not based on the same spheroid.

Nil prior to these Notices.

2006 Series

MOZ 11/06(T)	Port of Inhambane	Buoy A out of position.
MOZ 12/06(T)	Port of Inhambane	Buoy 9 out of position.

2008 Series

MOZ 17/08(T)	Port of Mocimboa da Praia	Buoy out of position.
MOZ 19/08(T)	Port of Beira	Buoy unlit.

2009 Series

MOZ 03/09	Port of Beira	Buoys repositioned.
MOZ 04/09	Port of Quelimane	Buoy unlit.
MOZ 07/09	Port of Quelimane	Buoy out of position.
MOZ 08/09	Port of Quelimane	Buoy out of position.
MOZ 11/09(T)	Port of Pemba	Buoys positioned.
MOZ 12/09(T)	Port of Pemba	Drilling operations.

HC

LIST OF TEMPORARY AND PRELIMINARY NOTICES TO MARINERS ISSUED FOR MADAGASCAR IN FORCE

Important Notice : Mariners are advised that positions for Madagascar Notices are referred to the WGS 84 Spheroid. Caution is therefore advised when plotting positions on large scale British Admiralty charts that are not based on the same spheroid.

Nil prior to these Notices.

2010 Series

Nil.

III

SAN HO CHARTS AND SAN HO PUBLICATIONS - NEW CHARTS/EDITIONS

Nil.

IV

CORRECTIONS TO SAN HO PUBLICATIONS

74/10 ANNUAL SUMMARY OF SA NOTICES TO MARINERS 2010 EDITION

SOUTH AFRICAN NOTICES TO MARINERS NOTICE 21 OF 2010

Page 48, para 6, line 1

MARINE RESERVES

1. Amend: Department of Environmental Affairs and Tourism

to read: Department of Environmental Affairs (DEA), Branch: Oceans and Coasts

Page 48, para 1, line 1

MARINE PROTECTED AREAS AND CLOSED AREAS

2. Amend: Minister of Environmental Affairs and Tourism

to read: Minister of Agriculture, Forestry and Fisheries

V

CORRECTION TO SA LIST OF LIGHTS AND RADIO SIGNALS - SAN HO-1 2008 Edition

75/10 LIGHTS AND FOG SIGNALS

Page 17 - Insert new directional light

CAPE TOWN HARBOUR- Victoria Basin Entrance (Z 5828)

1. Insert under Z5826 (D5934):

Z5828	Breakwater Root	33 54.0	Dir.WRG.	Metal lattice tower	(Sectors as yet unknown)
(D-New)	Dir Lt 311° 30'	18 25.7					

VI

NAVAREA VII and Coastal Navigational Warnings Bulletin in force as at 28 July 2010

See Annual NM 3/2007. Broadcast Warnings are available at Port Offices and remain valid until cancelled or until superseded by this and/or other broadcast bulletins. These are also available in digital format on our website. The website version is only updated during normal working hours.

NAVAREA VII MESSAGES

Nil Prior to these Messages

2010 Series

039	South Atlantic Ocean - NE Sector	Racon out of action.
062	Indian Ocean - SW Sector	Lighthouse unlit.
063	Indian Ocean - SW Sector	Survey operations.
096	South Atlantic Ocean - NE Sector	Pipelaying operations.
098	South Atlantic Ocean - NE Sector	Diverse soil testing.
099	South Atlantic Ocean - NE Sector	Survey operations.
114	Indian Ocean - SW Sector	Survey operations.
123	Riglist.	
134	Messages in Force.	
135	South Atlantic Ocean - NE Sector	Towing operations.

COASTAL NAVWARNING MESSAGES

Nil Prior to these Messages

2010 Series

016	RSA	Robben Island	Light unlit.
128	RSA	Table Bay	Buoy deployed.
163	RSA	Saldanha Bay	VTS centre radio watch.
181	Namibia	Orange River	Underwater operations.
188	RSA	False Bay	Buoys deployed.
201	RSA	Mossel Bay	Light and racon not in operation.
218	RSA	Scottburgh	Daymark and racon removed.
223	RSA	Port of Hout Bay	Light unlit.
242	RSA	Port of Saldanha	Light colour change.
247	Namibia	Palgrave Point	Survey operations.
251	RSA	False Bay	Racon not in operation.
259	RSA	Orange River	Peace in Africa mining operations.
261	RSA	Cape Agulhas to Cape St Blaize	Gunnery exercise.
279	RSA	False Bay	Gunnery exercise.

VI
ANNEX A

USA Government Special Warning in force 18 December 2001

SPECIAL WARNING NUMBER 120 WORLDWIDE

1. Due to recent events in the Middle East and the American Homeland, U.S. Forces worldwide are operating at a heightened state of readiness and taking additional defensive precautions against terrorists and other potential threats. Consequently, all aircraft, surface vessels, and sub-surface vessels approaching U.S. Forces are requested to maintain radio contact with U.S Forces on bridge-to-bridge channel 16, international air distress (121.5 Mhz VHF) or MILAIR distress (243.0 Mhz UHF).
2. U.S. Forces will exercise appropriate measures in self-defence if warranted by the circumstances. Aircraft, surface vessels, and sub-surface vessels approaching U.S. Forces will, by making prior contacts as described above, help make their intentions clear and avoid unnecessary initiation of such defensive measures.
3. U.S. Forces, especially when operating in confined waters, shall remain mindful of navigational considerations of aircraft, surface vessels, and sub-surface vessels in their immediate vicinity.
4. Nothing in the Special Warning is intended to impede or otherwise interfere with the freedom of navigation or overflight of any vessel or aircraft, or to limit or expand the inherent self-defence rights of U.S. Forces. This Special Warning is published solely to advise of the heightened state of readiness of U.S. Forces and to request that radio contact be maintained as described above. (Issued 16 Nov 2001).

USA Government Special Warning in force 20 March 2003

SPECIAL WARNING NUMBER 121 PERSIAN GULF

1. Coalition Naval Forces may conduct military operations in the Eastern Mediterranean Sea, Red Sea, Gulf of Aden, Arabian Sea, Gulf of Oman and Arabian Gulf. The timely and accurate identification of all vessels and aircraft in these areas are, critical to avoid the inadvertent use of force.
2. All vessels are advised that coalition Naval Forces are prepared to exercise appropriate measures in self-defense to ensure their safety in the event they are approached by vessels or aircraft. Coalition Forces are prepared to respond decisively to any hostile acts or indications of hostile intent. All maritime vessels or activities that are determined to be threats to Coalitin Naval Forces will be subject to defensive measures, including boarding, seizure, disabling or destruction, without regard to registry or location. Consequently, surface vessels, sub-surface vessels and all aircraft approaching Coalition Naval Forces are advised to maintain radio contact on Bridge-to-Bridge channel 16, International Air Distress (121.5 MHZ VHF) or Military Air Distress (243.0 MHZ UHF).
3. Vessels operating in the Middle East, Eastern Mediterranean Sea, Red Sea, Gulf of Oman, Arabian Sea and Arabian Gulf are subject to query, being stopped, boarded and searched by US/Coalition warships operating in support of operations against Iraq. Vessels found to be carrying contraband bound for Iraq or carrying and/or laying Naval mines are subject to detention, seizure and destruction. This notice is effective immediately and will remain in effect until further notice.

VI
ANNEX A/cont...

USA Government Special Warning in force 11 March 2005

SPECIAL WARNING NUMBER 122 EAST AFRICA

1. The US Government has received unconfirmed information that terrorists may attempt to mount a maritime attack using speed-boats against a western ship - possibly in East Africa. No additional information is available on the planning, timing or intended targets of the maritime attack. This notice is effective immediately and will remain in effect until further notice.

USA Government Special Warning in force 11 November 2005

SPECIAL WARNING NUMBER 123 EAST AFRICA

1. Due to continuing conditions of armed conflict and lawlessness in Somalia and waters off its coast, mariners are advised to avoid the port of Muqdisho (Mogadishu) and to remain at least 200 nautical miles distant from the Somali coast. The US government does not have an embassy in Somalia and cannot provide services to US citizens.
2. Recent vessel hijackings off the east coast of Somalia demonstrate that pirates are able to conduct at sea hijackings from as far south as Kismaayo (Chisimayu) (00-22S), though vessels are advised to transit no closer than 02-00S, to as far north as Eyl (08-00N), and out to a distance of 170 miles. The first known attempt to hijack a cruise vessel occurred in November 2005. All merchant vessels transiting the coast of Somalia, no matter how far offshore, should increase anti-piracy precautions and maintain a heightened state of vigilance. Pirates are reported to have used previously hijacked ships as bases for further attacks.
3. Another reported pirate tactic has been to issue a false distress call to lure a ship close inshore. Therefore, caution should be taken when responding to distress calls keeping in mind it may be a tactic to lure a vessel into a trap.
4. Victimized vessels have reported two to three (2-3) speedboats measuring six to nine meters (6-9M) in length. Each vessel has a crew of three to six (3-6) armed men with AK-47s and shoulder launched rockets, which are opening fire on vessels in broad daylight in order to intimidate them into stopping.
5. To date, vessels that increase speed and take evasive maneuvers avoid boarding while those that slow down are boarded, taken to the Somali coastline, and released after successful ransom payment, often after protracted negotiations of as much as 11 weeks.

NAVAREA IX 092 OF 2009

1. A Merchant Vessel Voluntary Reporting Scheme has been established to increase security, provide anti-piracy support and to maintain the freedom of navigation to all vessels in the Indian Ocean, Arabian Sea, Persian Gulf, Gulf of Aden and the Red Sea.
2. Merchant vessels operating in these areas are strongly encouraged to liaise with the military authorities below. Any vessel or owner/operator/manager, which chooses not to report may delay any military assistance in the event of an incident and will not receive an updated threat assessment.
3. All vessels should send position reports to both:
 - a. UK Maritime Trade Operation, Dubai
E-mail: ukmto@eim.ae
Tel: +971 50 552 3215
Fax: +971 4 306 5710
Telex: (51) 210473

NAVAREA IX 092 OF 2009/cont...

b. Maritime Liaison Office, Bahrain (Marlo)
E-mail: marlobahrain@me.navy.mil
Tel: +973 3940 1395

4. In return, vessels will receive passage guidance, recommended routing, as well as the latest threat assessment from MTO, Dubai.

5. All masters are advised to ensure that prior to sailing through or entering the region, that the owners/operators/managers have registered the vessel with the Maritime Security Centre, Horn of Africa (MSCHOA), <http://www.mschoa.eu>.

6. The website offers group transit information in the Gulf of Aden and best management practice for vessel self protection.
Tel: +44 1923 958545.

NAVAREA I 037 OF 2010

Caution regarding use of ECDIS in standard display mode

1. Mariners are advised of a potentially serious issue that has come to light relating to the way ECDIS displays and operates with some shoal soundings, marked as "reported" on paper charts that will not be visible when operating in the base or standard display modes and that may not trigger automatic grounding alarms in any display mode, even if their depth is less than the vessel safety depth set in the ECDIS. This is due to a specific manner of encoding these particular shoal soundings within S-57.

2. All ENC's produced by SANHO have been corrected where such soundings occur in navigable waters, beyond the first safety depth contour depicted in these ENC's.

3. As a precaution, mariners are alerted to this issue via NAVAREA warnings that have been transmitted in most regions. The text of the warning broadcast in NAVAREA I and VII is as below. Updated information on this issue will be provided as it becomes available.

4. Mariners navigating beyond South African ENC coverage must consult the various promulgated notifications released by the ENC producer nations, covering this issue.

Mariners are advised that ECDIS may not display some isolated shoal depths when operating in "base or standard" mode. Route planning and monitoring alarms for these shoal depths may not always be activated. To ensure safe navigation and to confirm that a planned route is clear of such dangers, mariners should visually inspect the planned route and any deviations from it using ECDIS configured display "all data". The automated voyage planning check function should not be solely relied upon. The International Hydrographic Organisation (IHO) is leading technical action to resolve this matter. Further information will be available through Notices to Mariners.

HYDROGRAPHIC NOTE

(for instructions, see overleaf)

Date

Ref. No

Name of ship or sender :

Address of sender :

.....

.....

Tel/Fax/Telex No. e-mail address of sender (if appropriate) :

General locality Subject :

Position : Lat : Long :

SAN Chart(s) affected : Edition dated :

Position fixing system used : Datum set :

Latest Monthly Edition of Notice to Mariners held :

Publications affected : (Edition No date of latest supplement, page and Light List No. etc.)

Details:

A replacement copy of Chart(s) No(s) is required, but see 4 overleaf.

Signature of observer/reporter :

HYDROGRAPHIC NOTE

Forwarding Information for South African Charts and Hydrographic Publications

INSTRUCTIONS

1. Mariners are requested to notify the Hydrographer of the South African Navy, Private Bag X1, Tokai, 7966, or by Facimile 021 7872228 or E-mail *hydrosan@iafrica.com* when new or suspected dangers to navigation are discovered, changes observed in aids to navigation, or corrections to publications seen to be necessary. The *Mariner's Handbook (NP 100) Chapter 8* gives general instructions. The provisions of international and national laws should be complied with when forwarding such reports.

2. This form and its instructions have been designed to help both the sender and the recipient. It should be used, or followed closely, whenever appropriate. Copies of this Form may be obtained gratis from the SAN Hydrographic Office at the above address or principal Chart Agents (see *Annual Notice to Mariners No. 1*).

3. When a **position** is defined by sextant angles or bearings (true or magnetic being specified) more than two should be used in order to provide a check. Distances observed by radar and the readings of Loran, Decca, etc., should be quoted. Latitude and longitude should only be used specifically to position the details when they have been fixed by astronomical observations or GPS and a full description of the method, equipment and datum (where applicable) used should be given.

4. A cutting from the largest scale chart is the best medium for forwarding details, the alterations and additions being shown thereon in red. When requested, a new copy will be sent in replacement of a chart that has been used to forward information, or when extensive observations have involved defacement of the observer's chart. If it is preferred to show the amendments on a tracing of the largest scale chart (rather than on the chart itself) these should be in red as above, but adequate details from the chart must be traced in black ink to enable the amendments to be fitted correctly.

5. When **soundings** are obtained *The Mariner's Handbook (NP 100)* should be consulted. The echo sounding trace should be marked with times, depths, etc., and forwarded with the report. It is important to state whether the echo sounder is set to register depths below the surface or below the keel; in the latter case the vessel's draught should be given. Time and date should be given in order that corrections for the height of the tide may be made where necessary. The make, name and type of set should also be given.

6. Modern **echo sounders** frequently record signals from echoes received back after one or more rotations of the stylus have been completed. Thus with a set whose maximum range is 500m, an echo recorded at 50m may be from depths of 50m, 550m or even 1050m. Soundings recorded beyond the set's nominal range can usually be recognised by the following:

- (a) the trace being weaker than normal for the depth recorded,
- (b) the trace passing through the transmission line,
- (c) the feathery nature of the trace.

As a check that apparently shoal soundings are not due to echoes received beyond the set's nominal range, soundings should be continued until reasonable agreement with charted soundings is reached. However, soundings received after one or more rotations of the stylus can still be useful and should be submitted if they show significant differences from charted depths.

7. Reports which cannot be confirmed or are lacking in certain details should not be withheld. Shortcomings should be stressed and any firm expectation of being able to check the information on a succeeding voyage should be mentioned.

8. Reports of **shoal soundings**, uncharted dangers and navigational aids out of order should, at the mariner's discretion, also be made by radio to the nearest coast radio station. The draught of modern tankers is such that any uncharted depth under 30 metres or 15 fathoms may be of sufficient importance to justify a radio message.

9. **Port information** should be forwarded on Form HO-16a together with Form HO-16. Form HO-16a lists the information required for South African Sailing Directions and should be used as an *aide memoire*. Where there is insufficient space on the form an additional sheet should be used.

Note : An acknowledgement or receipt will be sent and the information then used to the best advantage which may mean immediate action or inclusion in a revision in due course. When a Notice to Mariners is issued, the sender's ship or name is quoted as authority unless (as sometimes happens) the information is also received from other authorities. An explanation of the use made of contributions from all parts of the world would be too great a task and a further communication should only be expected when the information is of outstanding value or has unusual features.

HO-16a (March 2004)

**HYDROGRAPHIC NOTE FOR PORT
INFORMATION**

(To accompany Form HO-16)

Name of ship or sender :

Address of sender :

Ref. No.

.....

Date :

.....

1. NAME OF PORT	
2. GENERAL REMARKS Principal activities and trade. Latest population figures and date. Number of ships or tonnage handled per year. Maximum size of vessel handled. Copy of Port Handbook if available.	
3. ANCHORAGES Designation, depths, holding ground, shelter afforded.	
4. PILOTAGE Authority for requests. Embarkation position. Regulations.	
5. DIRECTIONS Entry and berthing information. Tidal Streams. Navigational aids.	
6. TUGS Number available and max. hp.	
7. WHARVES Names, numbers or positions. Lengths. Depths alongside. Heights above Chart Datum. Facilities available.	
8. CARGO HOLDING Containers, lighters, Ro-Ro etc.	
9. CRANES Brief details and max. capacity.	

<p>10. REPAIRS</p> <p>Hull, machinery and underwater. Ship and boat yards. Docking or slipping facilities. Give size of vessels handled or dimensions. Hards or ramps. Divers.</p>	
<p>11. RESCUE AND DISTRESS</p> <p>Salvage, lifeboat, NSRI, etc.</p>	
<p>12. SUPPLIES</p> <p>Fuel with type and quantities available. Fresh water with rate of supply. Provisions.</p>	
<p>13. SERVICES</p> <p>Medical. De-ratting. Consuls. Ship chandlery, compass adjustment, tank cleaning, hull painting.</p>	
<p>14. COMMUNICATIONS</p> <p>Road, rail and air services available. Nearest airport or airfield. Port radio and information service with frequencies and hours of operating.</p>	
<p>15. PORT AUTHORITY</p> <p>Designation, address and telephone number.</p>	
<p>16. SMALL CRAFT FACILITIES</p> <p>Information and facilities for small craft (eg yachts) visiting the port. Yacht Clubs, berths, etc.</p>	
<p>17. VIEWS</p> <p>Photographs (where permitted) of the approaches, leading marks, the entrance to the harbour etc. Picture postcards may also be useful.</p>	

